Analytical Resource Laboratories
A Tentamus Company
47-2854223
520 South 850 East, Suite B3
Lehi, UT 84043
801-847-7722
www.analyticalresource.com
info@yourqualitylab.com

# Certificate of Analysis

**Sample Information**

Date Received: 4/27/2026
Description: Ms Powder 18

**Results**

| Analysis | Method | †MDL / LOQ | Specification | Results | UOM | Lab ID |
|---|---|---|---|---|---|---|
| Complete Micro Profile (High Count) | USP, AOAC | | | | | 1 |
| Coliforms | AOAC 991.14 | 100 | Record Only | None Detected | cfu's/g | 1 |
| E. coli | USP 2022 (pub. 2013) | Absent | Record Only | Absent | cfu's/10g | 1 |
| Staphylococcus aureus | USP 2022 (pub. 2013) | Absent | Record Only | Absent | cfu's/10g | 1 |
| Salmonella | USP 2022 (pub. 2013) | Absent | Record Only | Absent | cfu's/10g | 1 |
| Yeast (High Count) | USP 2021 (pub. 2013) | 100 | Record Only | None Detected | cfu's/g | 1 |
| Mold (High Count) | USP 2021 (pub. 2013) | 100 | Record Only | None Detected | cfu's/g | 1 |

†**Method Detection Limit (MDL)**:
In microbiologic testing, this is the minimum level of growth that can be detected with confidence. If a result is reported as "None Detected", it means any visible growth was below this limit.

†**Limit of Quantitation (LOQ)**:
In analytical chemistry testing, this is the minimum level of the desired analyte that can be quantified with confidence. If a result is reported as less than LOQ, it means any detected amount was too small to report an exact number.

**Under accreditation number 77504, ARL is an ISO/IEC 17025:2017 Accredited Laboratory. Uncertainty data for ISO/IEC 17025:2017 methods are available upon request. Certificate and scope are also available upon request.**



Released by: Taylor Wooten
Date Released: 4/30/2026

Printed on: 4/30/2026 8:08:46 PM